



7/16 Din (M) Right Angle Solder Type Connector for 1/4" SF & .141 Cable | 123-14SFDMRS | 123e.com

Part Number: 123-14SFDMRS

The 123-14SFDMRS is a 7/16 DIN male right angle solder-center, solder-body connector designed for use with 1/4" SuperFlex and FlexForm (RG401) coaxial cables. It delivers reliable signal integrity from 0-6 GHz with 50-ohm impedance and Low PIM performance (< -160 dBc), making it ideal for wireless infrastructure, DAS, and telecom applications.

Constructed with a silver-plated brass inner conductor, ternary alloy-plated brass body, silicone rubber gasket, and PTFE insulation, this connector is built for durability across an operating temperature range of -40°C to $+155^{\circ}\text{C}$. Compatible with CommScope FSJ1-50A and equivalent 1/4" SF cables.

CROSS REFERENCE

Alternative To

PHYSICAL SPECIFICATIONS

Options	Solder Type
Connector A	7/16 Din Right Angle
Gender	Male
Inner Conductor	Brass, Silver Plating
Body	Brass, Ternary Alloy Plating
Gasket	Silicone Rubber
Insulation	PTFE

ELECTRICAL SPECIFICATIONS

Frequency Range	0-6GHz
Impedance	50 Omhs
PIM	$\leq -160\text{dBc}@1900\text{MHz}$
VSWR	≤ 1.2 (0-3GHz) ≤ 1.3 (3-6GHz)

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	-40°C to $\sim 155^{\circ}\text{C}$
RoHS Compliance	Yes

Thank you visiting 123eWireless.

Please contact us at sales@123ewireless.com for any queries.