

**LC/UPC duplex to Evolv Pushlok SC/APC, SST Drop Cable, Singlemode, 2 Fiber | 123-F6X2-5A4J7 | 123e.com**

Part Number: 123-F6X2-5A4J7

LC/UPC duplex clipped to Corning's Evolv® Solution with Pushlok® (SC/APC), Corning SMF-28E, 2 Fiber SST DROP

This versatile cable is engineered for aerial, direct burial, and conduit installations, making it ideal for for outside plant (OSP) FTTx access networks. Compatible with Corning's Evolv® Optical Tap Terminals, it offers fully sealed environmental protection and quick, hassle-free connections. Designed to save space and speed up installations. This assembly directly compares to Corning D30402JB4FD035F-P.

*All trademarks mentioned are the property of their respective owners.

CROSS REFERENCE

Alternative To	D30402JB4FD035F-P, D30402JB4FD050F-P
----------------	--------------------------------------

ATTENUATION

Attenuation @ 1550nm	0.25 dB/km
----------------------	------------

Attenuation @ 1310nm	0.40 dB/km
----------------------	------------

OPTICAL SPECIFICATIONS

Insertion Loss	Bi Dir. 1310nm, 1550nm, < 0.5 dB
----------------	----------------------------------

Return Loss	>50 dB
-------------	--------

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	-20°C to +70°C
-----------------------	----------------

Varmint Rating	None
----------------	------

PHYSICAL SPECIFICATIONS

Connector A	LC/UPC Duplex
-------------	---------------

Connector B	Evolv Pushlok (SC/APC)
-------------	------------------------

Fiber Count	2
-------------	---

Breakout Length Side A	6IN
------------------------	-----

Breakout Length Side B	53IN ± 1IN
------------------------	------------

Fiber Type	SMF-28E
------------	---------

Jacket Color	Black
--------------	-------

Jacket Material	SST Drop
-----------------	----------

Outer Diameter	
----------------	--

Thank you visiting 123eWireless.

Please contact us at sales@123ewireless.com for any queries.